No.



9100033

<u>THE UNITED STATES OF AMIERICA</u>

TO ALL TO WHOM THESE PRESENTS SHALL COME:

BEKATT plant Cenetics

Tolhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different lety therefrom, to the extent provided by the Plant Variety Protection Act at. 1542, as amended, 7 U.S.C. 2321 et seq.)

SOYBEAN

'CX210'

In Lestimony Winexcot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C.

at the City of Washington, D.C.

this 31st day of July in
the year of our Lord one thousand nine
hundred and ninety-two.

Itest:

Kenneth HEvan

Commissioner

Plant Variety Protection Office Agricultural Marketing Service Sucretary of Agriculture

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

U.S. DEPARTMENT OF AGRICULTURAL MARKE			Application is required in order to
APPLICATION FOR PLANT VARIET		CERTIFICATE	determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	3. VARIETY NAME
DEKALB Plant Genetics		EX921	CX210
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	'	5. PHONE (include area code)	FOR OFFICIAL USE ONLY
3100 Sycamore Road			PVPO NUMBER
DeKalb, IL 60115		815/756-7333	9100033
			F Date
6 CENTRO AND COCCIEG MANG	T		December 3,1990
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botania	· ·	i Time N — —
Glycine max L. Merr.	Leguminosa	ie	G > A.M. P.M.
8. CROP KIND NAME (Common Name)	9.	DATE OF DETERMINATION	F Filing and Examination Fee:
Soybean	\$	Summer 1987	E \$2150, 000
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	NUZATION (Corporation, and	novekia possoistisa eta k	Orac and an
	Corporation, part	nership, association, etc.)	E
Partnership		· .	C Certificate Fee: E \$250.
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12. DA	TE OF INCORPORATION	V Date
			E June 16 1992
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	SERVE IN THIS APPLICATION	ON AND RECEIVE ALL PAPERS	
Robert E. Roman, Jr.		· · · · · · · · · · · · · · · · · · ·	V
DEKALB Plant Genetics			•
3100 Sycamore Road			
DeKalb, IL 60115		PHONE (Include area code)	815/756-7333
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow)	low INSTRUCTIONS on rever		
a. XX Exhibit A, Origin and Breeding History of the Variety.			
b. XX Exhibit B, Novelty Statement.	· ·	•	11.5
c. XX Exhibit C, Objective Description of Variety.			
d. Exhibit D. Additional Description of Variety.	•		
e. XX Exhibit E, Statement of the Basis of Applicant's Ownersh	nip.		
Seed Sample (2,500 viable untreated seeds). Date Seed		Variety Protection Office 11/30	/90
g XX Filing and Examination Fee (\$2,150) made payable to "1			/
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SO			section 83(a) of the Plant Variety
Protection Act.) YES (If "YES," answer items 16 and 17 be	con.	O," skip to item 18 below)	
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS?	TO 17. IF "YES" TO	TEM 16, WHICH CLASSES OF PRODUCT	FION BEYOND BREEDER SEED?
	i		
L YES NO	ļ LJ FOU	NDATION REGISTER	RED CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VA	RIETY IN THE U.S.?		
YES (If "YES," through Plant Variety Protection Act	Patent Act. Give dat	Δ	
Σχνο		<u> </u>	
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR N	MARKETED IN THE U.S. OR C	THER COUNTRIES?	
YES (If "YES," give names of countries and dates) Febru	uary 22, 199	0	
	e e e e e e e e e e e e e e e e e e e		
20. The applicant(s) declare(s) that a viable sample of basic se request in accordance with such regulations as may be appl	eds of this variety will licable.	be furnished with the application	and will be replenished upon
The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle	sexually reproduced r	novel plant variety, and believe(s ne provisions of section 42 of the Pl	s) that the variety is distinct, ant Variety Protection Act.
Applicant(s) is (are) informed that false representation her		-	
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR T	ITLE	DATE
1. B. Mie	Preside	nt	November 12, 1990
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR T	TLE	DATE

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is absolute.

February 22, 1990

Origin and Breeding History

CX210 was derived by selection in a pedigree breeding program of a cross of Weber.Asgrow A3127.

Summer	1980	Cross Weber.Asgrow A3127. Designated 3453.
Winter	1980-81	F1 plants grown.
Summer	1981	F2 plant rows, Range 532, Rows 38-40; Range 533, Rows 1-2. Selected individual plants. Designated 3453-26.
Summer	1982	F3 plant rows, Range 300, Row 26. Selected individual plants. Designated 3523-26-3.
Summer	1983	F4 plant rows, Range 78G, Row 26. Selected individual plants. Designated 3453-26-3-8.
Summer	1984	F5 plant rows, Range 53G, Row 39. Bulked row.
Summer	1985	Preliminary Yield Test. Experiment 85X1D entry 38, grown at two locations. Designated SX50166.
Summer	1986	Advanced Yield Test. Experiment 86BN22 entry 29. Grown at nine locations. Produced 150 lbs. of seed.
Summer	1987	Prepilot, Advanced Yield Test Experiment 87BN22 entry 29. Grown at eight locations. Produced 2,650 lbs. in Foundation, 150 lbs. in Research.
Summer	1988	Pilot, SP8210, Advanced Yield Test Experiment 88BN11 entry 14; Experiment 88BN22 entry 13. Grown at 13 research locations and 20 strip trials. Produced 100 lbs. in Research, 6,000 lbs. in Foundation, 12,650 lbs. in Production.
Summer	1989	Experimental EX921, Experiment 89BN11 entry 12; Experiment 22 entry 10. Grown at 14 research locations and 70 strip trials. Produced 100 lbs. in Research, 4,000 lbs. in Foundation, 8,300 bushels in Production.

Released as CX210.

Exhibit A 9100033

Statement of Uniformity and Stability

CX210 was judged to be uniform for breeding use and testing after seven (7) generations. CX210 has been reproduced and judged uniform and stable for an additional three (3) generations.

Statement of Variants

CX210 shows no variants other than what would be normally expected due to environment or that would occur for almost any characteristic during the course of repeated sexual reproduction.

Novelty Statement

The variety CX210 most closely resembles is Asgrow A1937. CX210 is an early Group II soybean variety. CX210 has black hila. CX210 is susceptible to Phytopthora root rot.

Whereas:

Asgrow A1937 is a late Group I soybean variety. A1937 has buff hila. A1937 has the Rpsla gene for Phytophthora resistance.

MATURITY DIFFERENCE CX210 vs. ASGROW A1937

<u>Maturity*</u>		<u>Difference</u>		Standard	Error	T-Statistic	P-Value	
CX210	A1937	·.		of Differ	<u>rence</u>	·	:	
256	253			0 5		6.75	0.0001	
250	233	. J		0.5		6.75	0.0001	

*Julian Days

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max L.)

	TEMPORADY BENICHATION	VARIETY NAME
NAME OF APPLICANT(S) DEKALB Plant Genetics	TEMPORARY DESIGNATION EX921	CX210
	-	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Co 3100 Sycamore Road	de)	FOR OFFICIAL USE ONLY PYPO NUMBER
DeKalb, IL 60115		
· •		9100033
Choose the appropriate response which characterizes the vain your answer is fewer than the number of boxes provided	ariety in the features described , place a zero in the first box	l below. When the number of significant digits when number is 9 or less (e.g., 0 9).
1. SEED SHAPE:		
2		
	1 11	d (L/W ratio > 1.2; L/T ratio = < 1.2)
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	4 = Elongate Flattened	i (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
Z. GEED COAT GOEOTI. (IMARILIO GOOG)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Othe	r (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Neb	osoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect E	Black 6 = Black 7 = Other (Specify)
6, COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 2 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:	· · · · · · · · · · · · · · · · · · ·	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
		s ('Woodworth'; 'Tracy')
		<u> </u>
10. LEAFLET SHAPE:		
3 = Ovat	e 4 = Other (Specify)	

II, LEA	FLET SIZE:	•
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEA	F COLOR:	<i>e</i>
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FLO	WER COLOR:	
2	1 = White 2 = Purple 3 = White with purple throat	
14. POD	COLOR:	
2	1 = Tan 2 = Brown 3 = Black	1
15. PLAN	NT PUBESCENCE COLOR:	
2	1 = Gray 2 = Brown (Tawny)	
16. PLAN	NT TYPES:	•
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLAN	IT HABIT:	
3_	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
	•	
18. MATU	JRITY GROUP:	
18. MATU	PRITY GROUP: 1 = 000	8 = V
05	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV	8 = V
19, DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X	8 = V
19, DISEA	1 = 000	8 = V
19. DISEA	1 = 000	8 = V
19. DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) TERIAL DISEASES: Bacterial Pystule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea)	8 = V
19. DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) TERIAL DISEASES: Bacterial Pystule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci)	8 = V
19. DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) TERIAL DISEASES: Bacterial Pystule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea)	8 = V
19. DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV 9 = VI 10 = VII 11 = VIII 12 = IX 13 = X ASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) TERIAL DISEASES: Bacterial Pystule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES:	8 = V
19. DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV SEREACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) TERIAL DISEASES: Bacterial Pystule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina)	8 = V
19. DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV SEREACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) TERIAL DISEASES: Bacterial Pystule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina)	
19. DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV SEREACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) TERIAL DISEASES: Bacterial Pystule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 Other	
19. DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV SEE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) TERIAL DISEASES: Bacterial Pystule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 Other Target Spot (Corynespora cassiicola)	
19. DISEA	1 = 000 2 = 00 3 = 0 4 = I 5 = II 6 = III 7 = IV SERACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) TERIAL DISEASES: Bacterial Pustule (Xanthomonas phaseoli var. sojensis) Bacterial Blight (Pseudomonas glycinea) Wildfire (Pseudomonas tabaci) AL DISEASES: Brown Spot (Septoria glycines) Frogeye Leaf Spot (Cercospora sojina) Race 1 Race 2 Race 3 Race 4 Race 5 Other Target Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. manshurica)	


19.	DISEA	SE REACTION	l: (Enter 0 = Not T	ested; 1 = Susceptible; 2	= Resistant) (Continued)		*				
	FUN	GAL DISEASE	S: (Continued)								
	0	Pod and Sten	n Blight <i>(Diaporthe</i>	phaseolorum var; sojae)							
	0	Purple Seed S	Stain <i>(Cercospora ki</i>	ikuchii)							
	0	Rhizoctonia I	Root Rot (Rhizocto	onia solani)							
,		Phytophthora	Rot (Phytophthor	a megasperma var. sojae)		·					
	1	Race 1	Race 2	1 Race 3 1	Race 4	Race 6 1 Race	ce 7				
		Race 8	Race 9	1 Other (Specify)							
	VIRA	AL DISEASES:									
	0	Bud Blight (T	obacco Ringspot V	irus)							
	0	Yellow Mosai	c (Bean Yellow Mo	saic Virus)							
,	0	Cowpea Mosa	nic (Cowpea Chlorot	tic Virus)							
	0	Pod Mottle (B	Bean Pod Mottle Vir	us)							
٠	0	Seed Mottle (Soybean Mosaic Vi	rus)							
	NEM	ATODE DISEA	ASES:								
S-21.	13	Soybean Cyst	Nematode (Hetero	dera glycines)							
		Race 1	I Race 2	I Race 3	. Race 4 1 Other	(Specify)					
	0	Lance Nemato	ode (Hoplolaimus C	olombus)							
	0	Southern Roc	ot Knot Nematode (Meloidogyne incognita)							
		Northern Root Knot Nematode (Meloidogyne Hapla)									
")	Peanut Root Knot Nematode (Meloidogyne arenaria)										
		Reniform Nematode (Rotylenchulus reniformis)									
		OTHER DISE	ASE NOT ON FOR	RM (Specify):							
		YSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)									
O. 1					ptible; 2 = Resistant)						
			on Calcareous Soil								
		Other <i>(Specify</i>									
1. i				ted; 1 = Susceptible; 2 = I	Resistant)						
		Mexican Bean	Beetle (Epilachna v	rarivestis)							
		Potato Leaf H	opper <i>(Empoasca fa</i>	abae)		•	·				
	0	Other (Specify	<i>'</i>								
2. 1	NDICA.	TE WHICH VA		SELY RESEMBLES TH							
	CHAR	ACTER		OF VARIETY	CHARACTER	NAME OF VARIETY					
-	lant Sha	3.7	Weber		Seed Coat Luster	Weber					
	eaf Shar	pe	<i>f</i>		Seed Size	A1937					
	eaf Colo				Seed Shape	Weber					
					Seedling Pigmentation	A3127	7				
			l '		• 🔳 • •	1	7				

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
CX210 Submitted	0	7.0	109			35.4	20.1	16.0	2 - 3
Asgrow A193 Name of Similar Variety	57 -3	6.6	102			35.5	20.4	16.6	2 -3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzeli. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- □ 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



Statement of the Basis of Applicant's Ownership

DEKALB Plant Genetics is the sole, original, and first breeder of soybean variety CX210.